

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	90	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" "channels" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:38
L2	97	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" "non-volatile" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
L3	202	"conditional access" "encryption" "keys" "default" "set top" "cable" "memory" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
L4	211	"conditional access" "encryption" "keys" "default" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
L5	168	"conditional access" "encryption" "failure" "set top" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:39
L6	173	"conditional access" "encryption" "failure" "set top" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:40
S39 65	12	"set top box" "default" "encryption keys" "cable" "non-volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/25 22:38
S39 66	29	"set top" "box" "default" "encryption keys" "cable" "non-volatile memory" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:10
S39 67	66	"set top" "box" "default" "encryption keys" "cable" "signaling" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/06 21:48
S39 70	252	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11

## EAST Search History

S40 25	71	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/24 00:14
S40 35	253	"set top" "access" "default" "encryption key" "channel" "cable" "keys" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/11 01:40
S40 65	212	"set top box" "default" "encryption keys" "cable" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 00:57
S40 66	79	"set top box" "default" "encryption keys" "cable" "non-volatile" "channels" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/12 00:58
S40 67	447	(380/239)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:07
S40 68	268	(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:08
S40 69	36	(380/239)(380/211)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:08
S40 70	110	"set top" "access" "default" "encryption key" "channel" "cable" "keys" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 17:34
S40 71	11	"set top" "box" "default" "encryption keys" "cable" "non-volatile memory" "signaling" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:10
S40 72	33	"set top" "access" "default" "encryption key" "channel" "cable" "keys" "headend" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11
S40 73	16	"set top box" "default" "encryption keys" "cable modem" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/14 22:11

## EAST Search History

S40 74	2	"7194759".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 17:34
S40 75	2	"7194756".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 17:34
S40 76	72	"set top box" "default" "encryption keys" "cable" "conditional access" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/26 22:49
S40 77	32	"set top box" "default" "encryption keys" "cable" "conditional access" "failure" @ad<"20031103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/24 00:14